



## Exhaust Fan Installation Guide



### - SINGLE SPEED FANS -

**NOTE:** If you will be hard wiring one of the single speed fans, make sure the wire connections look like the ones in the picture below before continuing. Follow these instructions over any packaged with the fan as this applies specifically to the model you purchased.

**DO NOT** modify the yellow and blue wires. They are wired to the thermal overload protection. The white wire is to be connected to the common (white), and the red wire should be connected to the hot (black). The ground wire (green) should be connected to the green screw next to the motor wires.

Our 1/2" watertight wiring connectors or 1/2" flexible conduit connectors can be screwed directly to any of the single speed fan motors. Flexible conduit and connectors are included in our vent system wiring kit or can be purchased separately.

14 gauge or thicker wire is recommend when wiring the fan and any other venting supplies purchased from us.



The picture to the left shows optimal fan and shutter placement in a greenhouse. The exhaust fan should be mounted near the peak so that it is exhausting the hottest air in the greenhouse. The intake shutters should be mounted on the opposite end of the greenhouse so that the cooler fresh air travels across the entire structure minimizing hot spots.

## Exhaust Fan Installation


1. Select a location on the greenhouse to insert the fan.
2. Draw an outline of the area to be cut in the plastic panel. Dimensions for fans are included with these instructions.
3. Use a drill or a razor to create an opening large enough to insert a fine saw blade inside the outlined area of the wall panel.



4. Cut out the remainder of the outlined area with the saw, and repeat for each shutter and/or fan.
5. Fasten the fan frame to the greenhouse frame. **DO NOT** mount the fan to the covering because it will not support the fan's weight. You can make mounting brackets if needed out of 1/8" thick 1" x 1" aluminum angle available at most hardware stores.
6. Insert the fan into the opening cut in the plastic panel and attach the mounting brackets to the greenhouse. The fan should be mounted so that the louvers open to the outside of the greenhouse.



## Exhaust Fan & Intake Shutter Dimensions




### DIMENSIONS (INCHES):


MODEL	Prop. Dia	A	B	C	D	E	N	G	F	O	H	J	I	Suggested wall opening (Sq)
12"	12"	15"	15"	5 <sup>3</sup> / <sub>4</sub> "	2"	6 <sup>5</sup> / <sub>32</sub> "	13 <sup>5</sup> / <sub>8</sub> "	12 <sup>1</sup> / <sub>8</sub> "	12 <sup>1</sup> / <sub>8</sub> "	8"	3 1/2"	9/32"	1/2"	13"
16"	16"	18 <sup>29</sup> / <sub>32</sub> "	18 <sup>29</sup> / <sub>32</sub> "	5 <sup>3</sup> / <sub>4</sub> "	2"	7 <sup>7</sup> / <sub>8</sub> "	17 <sup>3</sup> / <sub>4</sub> "	16"	16"	11 <sup>29</sup> / <sub>32</sub> "	3 <sup>17</sup> / <sub>32</sub> "	9/32"	1/2"	17"

## WIRING DIAGRAMS:

### Basic Wiring



### Adding Fan Speed Control



### Adding Shutter Motors

